

An Agent-based Architecture to Recommend Educational Video

Domenico Rosaci and Giuseppe M. L. Sarné

Abstract—Agent-based recommender systems are tools able to assist users’ choices with suggestions coming closest to their orientations. In this context, it is relevant to identify those users that are the most similar to the target user in order to require them suitable suggestions. However, particularly when we deal with video contents for e-Learning, it should be appropriate also to consider (i) recommendations coming from those students resulted the most effective in suggesting video and (ii) the effects of the device currently exploited. To address such issues in a multimedia scenario, we propose a multi-agent trust based recommender architecture, called ELSA, appositely conceived to this aim. Some preliminary performed simulations permitted to evaluate our proposal with respect to the other considered agent-based RSs.

Index Terms—Device adaptivity, e-Learning, Multimedia, Recommender system, Trust system

I. INTRODUCTION

An increasing number of video contents (VC) is available on the Web and many recommender systems (RS) support users by suggesting them those VCs that better meet their orientations on the basis of their past interests (*Content-based* RSs [1]) and/or those of similar people (*Collaborative Filtering* RSs [2]) or a their combination (*Hybrid* RSs [3]).

A current trend is to consider in collaborative filtering (CF) processes both the similarity with respect to the characteristics of the device used in accessing VCs [4] (e.g. interface features, storage and computational capabilities, bandwidth and connectivity cost) and the effectiveness in providing suggestions. For instance, (i) a suggested video could not be accessible on a mobile device unable to correctly displays it and/or if its download is expansive in time or money or (ii) the opinions provided by a user, apparently similar to the target user, could result totally ineffective or even misleading.

To face such issues in an VCs e-Learning scenario, we propose a distributed multi-agent RS architecture, called **E-Learning Student Assistant (ELSA)**, to support students with personalized suggestions about VCs which considers both the device currently exploited by a user and the information derived by a trust system [5]–[7] in order to choose the most effective users in generating CF suggestions. In particular, ELSA adopts the Trust-Reliability-Reputation (TRR) model [8] which dynamically merge reliability (a measure of the trust directly perceived by an agent with respect to another) and reputation (a measure derived by the opinions of

the other agents) into a global trust measure on the basis of the number of interactions occurred between the two agents. This characteristic appears important being the trustworthiness of an agent determinable only after a sufficient number of observations, and this leads to the necessity of dynamically changing the importance of the reliability vs the reputation.

In the ELSA architecture (Figure 1) each device hosts a *device agent* which monitors the student’s behavior on that device to build his/her local profile. An *assistant agent* periodically collects such profiles to build the student’s global profile and, based on it, associates the student with one/more partitions. Each partition groups similar students and it is managed by a *partition agent* that off-line precomputes personalized suggestions for its members by considering the exploited device and effectiveness in providing opinions (based on the adopted trust model) in the CF process. Note that *assistant* and *partition agents* exploit the cloud technology. Finally, each VC site is supported by a *site agent* that builds personalized site presentations [9]–[12] for each its student with the VCs suggested by the *partition agents* which him/her belongs to.

We remark as in computing suggestions the partition agents exploit information periodically sent them by the assistant agents to take into account changes in students’ interests. This implies that partitions are periodically recomputed, allowing the system to adapt itself to the evolution of students’ behaviors, while the VC sites have not the computational costs for continuously performing onerous computations. Some simulations performed to evaluate ELSA by comparing it with other agent-based RSs shown an improvement in terms of performances.

II. THE ELSA ARCHITECTURE

Each ELSA Web site is an XML site which presents unvisited VCs potentially interesting to each visiting student.




Fig. 1. The architecture of ELSA

D. Rosaci is with the Dept. DIIES, University of Reggio Calabria, Loc. Feo di Vito, 89122 Reggio Calabria, Italy, e-mail: domenico.rosaci@unirc.it

G.M.L. Sarné is with the Dept. DICEAM, University of Reggio Calabria, Loc. Feo di Vito, 89122 Reggio Calabria, Italy, e-mail: sarné@unirc.it




Fig. 2. The behaviour of ELSA

To this aim, each VC on the platform is associated with a unique identifier code and with a category c (e.g. *Java*, *XML*, etc.) belonging to a *catalogue* \mathcal{C} , common to the ELSA agents, realized as an XML-Schema document where each element represents a category $c \in \mathcal{C}$. Besides, for each student a global profile is built and updated to represent videos and categories of interest and a measure of their relevance for him/her.


In the ELSA architecture (Figure 2) each *device agent* is associated with a student's device, *assistant* and *partition agents* live on the cloud and each *site agent* exploits computational and storing resources of a Web site server. When the student s uses the device D to visit a Web site W , the associated *device agent* d : (i) monitors his/her Web activities to build and update his/her *Local Profile*; (ii) sends its *Working Profile*, storing constraints in accessing VCs on D , to the *site agent* w associated with W . Besides, each device agent periodically sends its *Local Profile* to the student's *assistant agent* that builds and updates his/her *Global Profile* to compute a global measure of relevance for videos and categories visited by s in order to associate s with one or more partitions, each one managed by a *partition agent* which in turn: (i) stores all the *Global Profiles* of the affiliated students and of the ELSA sites; (ii) for its affiliate students determines similarities and trust levels, in terms of effectiveness in providing suggestions, to pre-compute content-based (CB) and CF suggestions about potentially attractive unvisited VCs; (iii) sends the pre-computed suggestions, compatible with the *Working Profile* of the device exploited by s in visiting W , to a *site agent* which arranges them on-the-fly in a presentation for s .

A. The Device Agent

Each device agent d builds and updates its *Device Profile* consisting of *Working (WP)* and *Local (LP) Profiles*. The *Working Profile* stores the following data and data structures:

- m, n : numbers of categories and videos for category that s desires to be suggested in a Web presentation on D ;
- *Constraint List (CL)* : list of restrictions in accessing videos due to device hardware/software limitations;
- *Agent List (AL)* : list of the student's *assistant agent* and of all his/her *partition agents* identifiers.

The *Local Profile LP* stores the student's sessions history in accessing VCs on D and includes the *Accessed Video Set (AVSet)* and the *Interest Weight Set (IWSet)*. *AVSet* is a

Fig. 3. The coefficient δ

set of tuples $\langle id, LV_{id}, LAV_{id}, \phi_{id} \rangle$, each one associated with a video v , where id is the identifier code (unique in ELSA) of v , LV_{id} is the number of accesses to v performed by s on D with LAV_{id} (i.e. *Last Access Video*) date of its last access and $\phi_{id} \in [0, 1]$ a score provided by s to measure his/her appreciation about v , where $1/0$ means the maximum/minimum satisfaction.

After the first access of s to v , his/her *device agent* computes ϕ as the ratio between the time spent by s on v with respect to its whole time length. It will be the measure of the satisfaction degree of s in absence of his/her explicit evaluation, always in the range $[0, 1]$. For each further access of s to v then he/she could (i) confirm the current ϕ value, (ii) provide a new ϕ value or (iii) accept a new *device agent* evaluation of ϕ .

$IWSet_d$ is a set of tuples $\langle c, LC_c, LAC_c, LIW_c \rangle$, each one associated with a category $c \in \mathcal{C}$, where LC_{id} is the number of accesses a video belonging to c performed by s on D with LAC_c (i.e. *Last Access Category*) the date of its last access and LIW_c (i.e. *Local Interest Weight*) a measure of his/her interest in c on D , that we suppose to be null after 180 days. In other words, the first time in a day that c is visited, LIW is updated as $LIW_c = \delta \cdot LIW_c + 1$ based on its past value weighted by δ and a contribute for the current access set to 1. The coefficient δ (Figure 3) decreases the past LIW_c based on its age (measured in days) and ψ is a coefficient experimentally set to 0.445. More formally:

$$\delta = \left(\frac{180 - (\text{current_date} - LAC_c)}{180} \right)^{\frac{1}{\psi}}$$

The *device agent* periodically sends its profile to the *assistant agent* of s and its profile WP to the *site agents* of the visited ELSA Web sites (see below). Periodically, the *device agent* prunes its profile LP from aged information.

B. The Assistant agent

The *assistant agent* a of s runs on the cloud to build a global representation of activities and interests of s (by using the information received from his/her *device agents*) to associate s with one/more partitions (Figure 1). The *assistant agent* profiles consists of the *Assistant Working (AWP)* and the *Global (GP) Profiles*. The first stores the following information:

- ND, NP : number of device agents of s and number of partitions which s desires to be affiliated;

- k : a real coefficient, arbitrarily set by s , ranging to $[0..1]$, and weighting similarity vs trustworthiness;
- z : number of agents that s desire to exploit in computing collaborative filtering recommendations.

The *Global Profile (GP)* includes the *Global Accessed Video Set (GAVSet)* and the *Global Interest Weight Set (GIWSet)*. *GAVSet* represents each video v accessed by s with a tuple $\langle id, GV_{id}, GLAV_{id}, \Phi_{id} \rangle$, where: (i) id is the identifier code (unique in ELSA) of v ; (ii) GV_{id} is the overall number of accesses to v performed by s ; (iii) $GLAV_{id}$ (i.e. *Global Last Access Video*) is the most recent date of the access to v performed by s ; (iv) Φ_{id} is the average rating among all the ϕ_{id} values stored in his/her *Local Profiles*. In *GIWSet* each category $c \in \mathcal{C}$ is associated with a tuple $\langle c, GC_c, GLAC_c, GIW_c, \rangle$, where: (i) GC_c is the overall number of accesses to c performed by s ; (ii) $GLAC_c$ (i.e. *Global Last Access Category*) is the most recent date of the access to c performed by s ; (iii) GIW_c is the *Global Interest Weight* computed as $GIW_c = \frac{1}{GC_c} \cdot \sum_{i=1}^{ND} LC_c \cdot LIW_{c,i}$.

Note that GIW_c implicitly considers device and connection cost in the choices of s . In particular, the connection cost is an indirect indicator for the relevance of c [4]. Periodically a updates the global profile GP of s by using updated local profiles and sends its *GIWSet* $\in GP$ to each *partition agent* in ELSA to obtain a similarity measure of s with their affiliated. In turn a will affiliate s with the first k partitions having the higher similarity measures, where their partition agents will generate personalized suggestions for s . This approach appears as a reasonable compromise, although it could not consider the last orientations of s .

C. The Partition Agent

A partition P , associated with a *partition agent* p , affiliates students similar for interests and the ELSA *site agents*. The profile of p consists of the *Site Catalogue Set (SCS)*, the *Global Profile Set (GPS)* and the *Site Interest Set (SIS)*. The first includes the catalogues of all the ELSA Web sites. The *Global Profile Set* stores the global profiles of all the students of P . The *Interest Site Set* stores for each site W and in a data section SIS_W , a list $SIS_W[s, D]$ for each student s visited W by using D . The elements of $SIS_W[s, D]$ are pairs (c, SIW_c) , where c is a category presents in W and considered interesting by s , and SIW_c is its *Site Interest Weight*, an interest measure of s in c computed on the site side. These information are sent by the *site agent* w to p at the end of each Web session of s .

The *partition agent* p computes the similarity measures each time it is requested by an *assistant agent* to evaluate the similarity of its student s with those affiliated with P based on their *Global Interest Weight Sets* (in order to consider the affiliation of s with P). The *average similarity measure* $\overline{sim}_{s,P} \in [0..1]$ between s and each other student $t \in P$ is the mean of all the Jaccard similarity measures $sim_{s,t}$ [13], a real number ranging in $[0..1]$ computed as the ratio between the number of their common categories which s and t are interested to and their total number (data stored into the s and t profiles) as $sim_{s,t} = |GIW_S_s \cap GIW_S_t| / |GIW_S_s \cup GIW_S_t|$. In computing $sim_{s,t}$ we consider a student as interested in c

only if its GIW_c value is greater than a system threshold J . Therefore, the average similarity $\overline{sim}_{s,P}$ is computed as $\overline{sim}_{s,P} = (\sum_{t \in P} sim_{s,t}) / |N_P|$, where N_P is the number of students of P , and sent to a_s to consider the affiliation of s , (this implies that s will send its *Global Profile* GP_s to p).

When s visits the site W by using the device D , the associated *device agent* d sends its *WP* to the site agent w that forwards it to the *partition agents* of s . To generate CB suggestions, each *partition agent* of s builds a list (CB_s) storing the $n_{s,D}$ most popular VCs of W , unvisited from s and compatible with WP , for each one of the $m_{s,D}$ most interesting categories into GP_s . To compute CF suggestions each *partition agent* uses opinions coming from those students resulting mostly similar to s (also for the device exploited in visiting W) and trusted in P for providing fruitful suggestions. To this aim, a partition agent compares the profile of s stored in $SIS_S[s, D] \in SIS_W$ with each profile $DSIS_W[t, D]$ of each its student t that visited W by using the same type of device in order to compute a similarity measure $SIM(s, t, D)$, based on all the shared categories, $c \in \mathcal{C}$ as $SIM(s, t, D) = \sum_{c \in SIS_W[s,t] \cap SIS_W[s,D]} |SIW_{c,s} - SIW_{c,t}|$. All these measures are normalized among them for assigning to each agent t a score η_t by taking into account similarity and trust as $\eta_t = k \cdot SIM(s, t, D) + (1 - k) \cdot \tau_{s,t}$, where $\tau_{s,t}$ is the trust of t perceived by s (see Section III). Then the *partition agent* inserts in the list CF_s the most popular $n_{s,D}$ videos stored in the site W , unvisited from s and compatible with WP , for each one of the $m_{s,D}$ most interesting categories presents into their profiles from the z_s agents having the highest η score.

D. The Site Agent

The *site agent* w is associated with the Web site W and its profile only consists of the catalogue of the categories present on the site. When the student s is visiting W by using the device D , the associated *device agent* d sends its current *Working Profile* WP to the agent w that in turn forwards it to all the *partition agents* of s for receiving their *CB* and *CF* suggestions lists, conform to WP , they pre-computed for s . From such lists the *site agent* selects the first most relevant n VCs for each one of the m categories. The *site agent* uses the selected recommended VCs to build on-the-fly a personalized site presentation for s . When a student's Web session ends, the *site agent* informs the *partition agents* of s about his/her choices in order to update the students' trust values.

III. THE TRUST COMPUTATION

This trust model, derived by [8], provides each student of P with the trustworthiness the other students of P in suggesting VCs associated with a category $c \in \mathcal{C}$. In particular, for each category c and for each student s , to know the trust values of each other student $t \in P$ (i.e. $\tau_{s,t}^c$) on c , a linear system of NS (where NS is the *Number of Students* of P) equations in NS variables, that admits only one solution, has to be solved. With respect to the category c and the students s and t then each equation [8], [14] has the form:

$$\tau_{s,t}^c = \alpha_{s,t}^c \cdot \rho_{s,t}^c + (1 - \alpha_{s,t}^c) \cdot \frac{\sum_{j \in P - \{s,t\}} \tau_{j,t}^c \cdot \tau_{s,j}^c}{\sum_{j \in P - \{s,t\}} \tau_{s,j}^c} \quad (1)$$

TABLE I
SETTING OF THE ELSA PARAMETERS OF THE DEVICE AGENTS (f_i IS
EXPRESSED IN EURO CENTS FOR MB).

device	T	NP	m	n	z	k	f_i
PC	180	3	2	4	3	0.5	0.01
tablet	120	3	2	4	3	0.5	0.2
ELSAphone	60	3	2	4	3	0.5	1.0

which combines reliability and reputation measures weighted by $\alpha_{s,t}^c \in [0..1]$, that depends on the number of interactions occurring between s and t with respect to c (i.e. $i_{s,t}^c$) and is computed as $\alpha_{s,t}^c = i_{s,t}^c/N$, if $i_{s,t}^c < H$ or 1 otherwise, where the integer H is a system threshold. In other words, $\alpha_{s,t}^c$ increases with the direct knowledge that s has of t about c . The first contribution in Eq. 1 is the reliability (i.e. $\rho_{s,t}^c \in [0..1]$) based on the level of knowledge that s has of t about the category c , where 0/1 means that t is unreliable/reliable. It is computed as the number of suggestions that s accepted from t , normalized on the total number of recommendations provided by t to s . The second contribution, ranging in $[0..1]$, is the reputation of t that s computes by requiring an “opinion” on the capability of t to provide good suggestions in the category c to each student $j \neq t \in P$. This opinion is the trust that j has in t , weighted by the trust measure $\tau_{s,j}^c$ that s has of j . In this way, the reputation is the *weighted mean* of all the trust measures $\tau_{j,t}^c$ that each student j (with $j \neq s, t$) assigns to t .

IV. EXPERIMENTS

We performed some simulations to compare ELSA with RS2 [15] and MWSuggest [4] by using 20 XML Web sites, each one including in average 50 VCs associated with categories present in \mathcal{C} . The RSs have been implemented in JADE [16] and JADE/LEAP [17] for the devices having limited resources. The ELSA and MWSuggest device agents (associated with a desktop PC, a tablet and a cellphone) have set their parameters as in Table I. Note that: (i) the interest for a category on a device is “saturated” either it is “used” for more than T seconds or downloaded and it linearly decreases based on its age in days from the last access; (ii) k is set to 0.5 and gives the same relevance to similarity and trust.

We simulated students visiting the Web sites and stored in a file (exploited as test-set) the first simulated 200 choices of each one on the first 10 Web site for different VCs as a list of tuple (consisting of source (s) and destination (d) links and the timestamp (t) of this choice) and other 200 tuple for the other 10 sites used to evaluate the RSs. The experiment involved three sets of 200, 400 and 800 simulated students. For each set, when a student s is visiting a Web page, each partition agent (for each one of the 3 RSs) provides a set $R(p)$ of suggestions. Each element $r \in R(p)$ is a link to a VC and (i) if r is accepted then it is considered as a *true positive* and inserted in a set TP_s of all the true positives generated for s , (ii) if it is unaccepted then it is a *false positive* and inserted in a set FP_s , otherwise (iii) if a choice of s not belong to $R(p)$ then it is considered as a *false negative* and inserted in a set FN_s . To measure RSs performances we computed the




Fig. 4. Average precision of RSs for different set of simulated users




Fig. 5. Average recall of RSs for different set of simulated users

standard measures *Precision* π_s ($\pi_s = |TP_s| / |TP_s \cup FP_s|$) and *Recall* ρ_s ($\rho_s = |TP_s| / |TP_s \cup FN_s|$) for the set of produced suggestions for s that can be interpreted as the probabilities that a suggested link is considered as relevant by s and that a relevant link is recommended, respectively.

The Average Precision $\bar{\pi}$ and the Average Recall $\bar{\rho}$ of each RS, defined as the average of the π and ρ values, have been computed for the all tested RSs and student sets and show as ELSA is better than the other tested RSs on both such measures that increase when the size of the agent population is larger. The maximum advantage in term of precision (resp. recall) with respect to the second best performer (MWSuggest) is equal to 10,25 % (resp. 12,5 %) for a size of 200 users, and becomes equal to about 16 % (resp. 19 %) for a size of 800 users. If the advantage of ELSA with respect to RS2 might be attributed to consider the exploited device in generating the suggestions, the better performances with respect to MW-Suggest are surely due to the use of the trust model in computing the CF suggestions (indeed in terms of performances these two systems perform in an identical way with respect to the CB component of the suggestions).

V. RELATED WORK

E-Learning RSs [18], [19] guide students by suggesting educational resources [20] based on their profiles [21], [22]. In this context, CB suggestions are in line with users’ past interests [22], but suffer for attribute selection [23], over-specialization and inability to consider unknown items, while CF [24] approaches have high computational costs due to high data dimensionality and sparsity [25]. By combining CB and CF techniques most effective (hybrid) suggestions can be computed [3], [26]. For instance, hybrid e-Learning systems are presented in [27], which explores the impact of using a

massive repository of educational indexed resources, personal data derived from students' actions and more combinations of CB and CF recommenders and in [28] where group collaboration is supported, independently of time and space distance, and hybrid suggestions consider student and learning resource profiles, metadata, structural and semantic filtering criteria.

Nowadays, students access Web resources every time and everywhere by using different type of device and, therefore, RSs should suggest resources (i) natively compatible or (ii) adaptable to the device. Moreover, suggestions can be based on (i) a unique global student's profile which takes into account learner's activities performed on each his/her device or (ii) different learner's profiles, one for each his/her device. ELENA [29] is a full distributed RS where a personal agent recommend resources to a student based on the information stored in his/her profile, only referred to the exploited device, and in the those of other students sharing the same interests and device. An interface based on a traffic light metaphor highlights the recommended resources. In ISABEL [30], a distributed multiagent learning system, each student's device is monitored by an agent when the student accesses e-Learning Web sites, each one associated with a teacher agent. Each student is associated with one or more tutor agents providing personalized suggestions for him/her, also considering the device, that the teacher agent shows in a personalized presentation compatible with the student's devices. Also in [31] are considered the opportunities provided by mobile devices to delivery personalized contents (adapted by algorithms designed to this purpose) compatible with learner's preference on that device, device capabilities and contextual environment.

Human interactions widely exploit the concept of trust to know the trustworthiness of own counterparts with respect to same held skills or in order to avoid deceptions [32]–[35]. Therefore trust plays a role similar to a social control to determine the best subjects to interact with, particularly important in virtual environments which encourage possible malicious behaviors [36], [37]. In particular, information derived by direct experiences (i.e., reliability) can be used to trust others, but they usually only exist for a narrow set of users and/or for a small number of times. As a consequence, a direct and reliable opinion about someone could be impossible to have, therefore to trust potential partners the opinions provided by other users (i.e. reputation) have to be considered and the reputation accuracy increases as much as their number [36]. Reliability and reputation information are often combined together in order to obtain a single synthetic trust measure [38]–[43] also by considering a multidimensional approach [40], [44]–[47].

With respect to a RS, trust can be assumed as the perception that the source is competent or, conversely, that a learning resource is valid and interesting. In other words, it is the perceived skill of the recommender to offer the right suggestions. In [48] video on demand are recommended by adopting CB and CF techniques, but this later exploits only expert users selected by a trust system. In [49] the idea of trustworthiness is associated to both learning resources (described by common ontologies) and peers in a P2P e-learning scenario. Trust relationships among peers allow to select which ones of them can be considered more authoritative in answering a query

within a given topic, whereas trust about learning resources allows to select the most reliable resources.

Learning Networks are open infrastructure to provide teachers and learning objects. However, due to the available number of learning resources teachers are supported in finding the most suitable for them by RSs. In this context, to make accurate recommendations by solving the problems due to sparsity of educational datasets, in [50] it is proposed to adopt trust information obtained by monitoring the teachers' activities. Finally, EVA [51] is a framework of learning recommender agents migrating among users based on a cloning mechanism. Each agent stores in its profile the knowledge learned from all its past and current owners. A reputation system, inspired to genealogical criterion, helps the system to select the most trusted agents in the community to be cloned and migrated among users' to provide suggestions.

VI. CONCLUSIONS

We presented ELSA, a fully distributed hybrid RS agent architecture appositely designed to provide students with personalized suggestions on potentially interesting VCs by also taking into account the device currently exploited. Besides, in the generation of CF suggestion, ELSA considers not only those users that are the most similar to the current user but also those that in the past are resulted as the most effective in provide suggestions on the basis of a trust system integrated in ELSA. Some simulated evaluations have shown promising performances of the ELSA platform with respect to some other tested RSs proposed in the literature. As our ongoing research we are planning to test ELSA with real users in the next future.

REFERENCES

- [1] P. Lops, M. Gemmis, and G. Semeraro, "Content-based recommender systems: State of the art and trends," in *Recommender Systems Handbook*. Springer, 2011, pp. 73–105.
- [2] J. Breese, D. Heckerman, and C. Kadie, "Empirical analysis of predictive algorithms for collaborative filtering," in *Proc. 14th Int. Conf. on Uncertainty in Artificial Intel.* Morgan Kaufmann, 1998, pp. 43–52.
- [3] R. Burke., "Hybrid recommender systems: Survey and experiments," *User Modeling and User-Adaptivity Interaction*, vol. 12, no. 4, pp. 331–370, 2002.
- [4] D. Rosaci and G. Sarnè, "Recommending multimedia web services in a multi-device environment," *Information Systems*, vol. 38, no. 2, pp. 198–212, 2013.
- [5] J. Sabater and C. Sierra, "Review on computational trust and reputation models," *Artificial Intelligence Review*, vol. 24, no. 1, pp. 33–60, 2005.
- [6] D. Sarvapali, S. Ramchurn, and N. Jennings, "Trust in multi-agent systems," *The Knowledge Engineering Review*, vol. 19, pp. 1–25, 2004.
- [7] S. Na, K. Choi, and D. Shin, "Reputation-based service discovery in multi-agents systems," in *Proc. IEEE Int. Work. on Semantic Computing and Applications*. Springer-Verlag, 2010, pp. 326–339.
- [8] D. Rosaci, G. Sarnè, and S. Garruzzo, "Integrating trust measures in multiagent systems," *International Journal of Intelligent Systems*, vol. 27, no. 1, pp. 1–15, 2012.
- [9] C. Anderson, P. Domingos, and D. Weld, "Adaptive web navigation for wireless devices," in *Proc. 17th Int. Joint Con. on Artificial Intel.* Morgan Kaufmann, 2001, pp. 879 – 884.
- [10] P. De Meo, D. Rosaci, G. Sarnè, G. Terracina, and D. Ursino, "An xml-based adaptive multi-agent system for handling e-commerce activities," in *Proc. 1st Int. Conf. ICWS-Europe 2003*, ser. LNCS, vol. 2853. Springer-Verlag, 2003, pp. 152–166.
- [11] S. Macskassy, A. Dayanik, and H. Hirsh, "Information valets for intelligent information access," in *Proc. AAAI Spring Symp. Series on Adaptive User Interfaces*. AAAI, 2000.

- [12] D. Rosaci and G. Sarnè, "A Multi-Agent Recommender System for Supporting Device Adaptivity in e-Commerce," *Journal of Intelligent Information System*, vol. 38, no. 2, pp. 393–418, 2012.
- [13] G. Greenstette, *Explorations in Automatic Thesaurus Construction*. Kluwer Academic Pub., 1994.
- [14] F. Buccafurri, D. Rosaci, G. Sarnè, and L. Palopoli, "Modeling cooperation in multi-agent communities," *Cognitive Systems Research*, vol. 5, no. 3, pp. 171–190, 2004.
- [15] K. Che, Y. Tsung-Hsien, and L. Wei-Po, "Personalized multimedia recommendation with social tags and context awareness," in *Proc. World Congress on Engineering 2011*, vol. 2. Springer, 2011, pp. 6–11.
- [16] J. URL, "http://www.jade.tilab.org," 2012.
- [17] Caire G., *LEAP 3.0: User Guide, TLAB*.
- [18] H. Drachsler, H. Hummel, and R. Koper, "Personal recommender systems for learners in lifelong learning networks: the requirements, techniques and model," *Int. J. of Learning Technology*, vol. 3, no. 4, pp. 404–423, 2008.
- [19] O. Santos and J. Boticario, *Educational Recommender Systems and Technologies: Practices and Challenges*. Information Sc. Ref., 2012.
- [20] P. Brusilovsky and C. Peylo, "Adaptive and intelligent web-based educational systems," *Int. Journal of Artificial Intelligence in Education*, vol. 13, no. 2, pp. 159–172, 2003.
- [21] H. Liu and V. Keselj, "Combined mining of web server logs and web contents for classifying user navigation patterns and predicting users' future requests," *Data Knowledge Engineering*, vol. 61, no. 2, pp. 304–330, 2007.
- [22] F. Wang and H. Shao, "Effective personalized recommendation based on time-framed navigation clustering and association mining," *Expert Systems with Applications*, vol. 27, pp. 365–377, 2004.
- [23] K. Cheung, J. Kwok, M. Law, and K. Tsui, "Mining customer product ratings for personalized marketing," *Decision Support Systems*, vol. 35, pp. 231–243, May 2003.
- [24] U. Shardanand and P. Maes, "Social information filtering: Algorithms for automating "word of mouth"," in *Proc. Conf. on Human Factors in Computing Systems*. ACM/Addison-Wesley, 1995, pp. 210–217.
- [25] S. Weng and M. Liu, "Feature-based recommendations for one-to-one marketing," *Expert Systems with App.*, vol. 26, pp. 493–508, 2004.
- [26] J. Herlocker, J. Konstan, and J. Riedl, "Explaining collaborative filtering recommendations," in *ACM Conf. on Computer Supported Cooperative Work*. ACM, 12 2000, pp. 241–250.
- [27] M. Khribi, M. Jemni, and O. Nasraoui, "Automatic recommendations for e-learning personalization based on web usage mining techniques and information retrieval," in *Advanced Learning Technologies, 2008. ICALT'08. 8th IEEE Int8 Conf8 on*. IEEE, 2008, pp. 241–245.
- [28] A. Carbonaro, R. Ferrini, and M. Zamboni, "Considering semantic abilities to improve a web-based distance learning system," in *ACM Int. Work. on Combining Intelligent and Adaptive Hypermedia Methods/Techniques in Web-based Education Systems*, 2005.
- [29] P. Dolog, N. Henze, W. Nejdl, and M. Sintek, "Personalization in distributed e-learning environments," in *Proc. of the 13th Int. World Wide Web Conf. on Alternate track P & P*. ACM, 2004, pp. 170–179.
- [30] D. Rosaci and G. Sarnè, "Efficient Personalization of e-Learning Activities Using a Multi-Device Decentralized Recommender System," *Computational Intelligence*, vol. 26, no. 2, pp. 121–141, 2010.
- [31] X. Zhao, F. Anma, T. Ninomiya, and T. Okamoto, "Personalized adaptive content system for context-aware mobile learning," *Int. J. of Computer Science and Network Security*, vol. 8, no. 8, pp. 153–161, 2008.
- [32] C. Corritore, B. Kracher, and S. Wiedenbeck, "On-line trust: concepts, evolving themes, a model," *Int. J. of Human-Computer Studies*, vol. 58, no. 6, pp. 737–758, 2003.
- [33] J. Sabater-Mir and M. Paolucci, "On representation and aggregation of social evaluations in computational trust and reputation models," *Int. J. of Approximate Reasoning*, vol. 46, no. 3, pp. 458–483, 2007.
- [34] S. Ramchurn, D. Huynh, and N. Jennings, "Trust in multi-agent systems," *Knowledge Engineering Review*, vol. 19, no. 1, pp. 1–25, 2004.
- [35] P. Resnick, R. Zeckhauser, E. Friedman, and K. Kuwabara, "Reputation systems," *Communication of ACM*, vol. 43, no. 12, pp. 45–48, 2000.
- [36] A. Birk, "Boosting cooperation by evolving trust," *Applied Artificial Intelligence*, vol. 14, no. 8, pp. 769–784, 2000.
- [37] G. Lax and G. Sarnè, "Celltrust: a reputation model for c2c commerce," *Electronic Commerce Research*, vol. 8, no. 4, pp. 193–216, 2006.
- [38] Aberer K. and Despetovic Z., "Managing Trust in peer-2-peer Information Systems," in *Proc. 10th Int. Conf. on Information and Knowledge Management*. ACM, 2001, pp. 310–317.
- [39] M. Gómez, J. Carbó, and C. Benac-Earle, "An anticipatory trust model for open distributed systems," ser. LNAI, vol. 4250. Springer-Verlag, 2007, pp. 307–324.
- [40] T. Huynh, N. Jennings, and N. Shadbolt, "An integrated trust and reputation model for open multi-agent system," *Autonomous Agent and Multi Agent Systems*, vol. 13, 2006.
- [41] S. Kamvar, M. Schlosser, and H. Garcia-Molina, "The eigentrust algorithm for reputation management in P2P networks," in *Proc. 12th Int. Conf. on World Wide Web*. ACM Press, 2003, pp. 640–651.
- [42] P. Melville, R. Mooney, and R. Nagarajan, "Content-boosted collaborative filtering for improved recommendations," in *Proc. 18th National Conf. on AI*. AAAI, 2002, pp. 187–192.
- [43] L. Xiong and L. Liu, "Supporting reputation-based trust for peer-to-peer electronic communities," *IEEE Trans. on Knowledge and Data Eng.*, vol. 16, no. 7, pp. 843–857, 2004.
- [44] J. Sabater and C. Sierra, "Reputation in gregarious societies," in *Proc. 5th Int. Conf. on Autonomous Agents*. ACM, 2001, pp. 194–195.
- [45] D. Jia, F. Zhang, and S. Liu, "A robust collaborative filtering recommendation algorithm based on multidimensional trust model," *Journal of Software*, vol. 8, no. 1, pp. 11–18, 2013.
- [46] D. Rosaci and G. Sarnè, "Rebecca: A trust-based filtering to improve recommendations for b2c e-commerce," in *Intelligent Distributed Computing VII*. Springer, 2014, pp. 31–36.
- [47] G. Wang and J. Wu, "Multi-dimensional evidence-based trust management with multi-trusted paths," *Future Generation Computer Systems*, vol. 27, no. 5, pp. 529–538, 2011.
- [48] J. Cho, K. Kwon, and Y. Park, "Collaborative filtering using dual information sources," *IEEE Intell. Sys.*, vol. 22, no. 3, pp. 30–38, 2007.
- [49] V. Carchiolo, D. Correnti, A. Longheu, M. Malgeri, and G. Mangioni, "Exploiting trust into e-learning: adding reliability to learning paths," *International Journal of Technology Enhanced Learning*, vol. 1, no. 4, pp. 253–265, 2009.
- [50] S. Fazeli, H. Drachsler, F. Brouns, and P. Sloep, "A trust-based social recommender for teachers," from: <http://hdl.handle.net/1820/4428>, 2012.
- [51] D. Rosaci and G. Sarnè, "Cloning mechanisms to improve agent performances," *Journal of Network and Computer Applications*, vol. 36, no. 1, pp. 402–408, 2012.